

COLONOSCOPY PREP – Clenpiq

Please read the following instructions carefully at least 7 days before your scheduled procedure. It is absolutely necessary that you complete the following instructions, with no changes, unless specified by your physician.

your physician.	_	,
TIMELINE	What YOU Need to Do	Comments
7 days before procedure	 Avoid ALL Nuts, seeds, corn, and RAW green vegetables Arrange for a responsible adult to drive you to the facility on the day of your procedure IF YOU TAKE BLOOD THINNER PRODUCTS: Follow the instructions for your blood thinner products as you were directed by your GI physician, cardiologist, or prescribing physician. IF YOU TAKE INSULIN PRODUCTS OR ORAL DIABETES PILLS: Contact your physician to obtain specific directions for dosages on the day before and day of your procedure. 	You will need a responsible adult to drive you home from the procedure. It is the facilities policy to cancel the procedure if you do not have a ride home.
5 days before procedure (or as soon as it is ordered)	 Go to the pharmacy and pick up the following: Your prescribed Clenpiq kit 	Do not refrigerate or freeze Clenpiq
1 day before procedure	You will be on a CLEAR LIQUID DIET THE ENTIRE DAY (no red, blue, or purple). Clear liquids include: Water & Tea Plain coffee, no creamer or milk Clear juices such as apple or white grape juice Lemonade from powdered mix Kool Aid or Crystal Light Clear Soda (7-Up, Sprite, Ginger Ale) Gatorade/PowerAde Fat free broth/ bouillon/ consommé Plain/flavored gelatins (no fruit added) Italian ices, sorbet, popsicles	CLEAR LIQUIDS ONLY ALL DAY
1 day before your procedure at 6:00PM	 Begin drinking the prep solution. Drink One bottle of Clenpiq. Do not mix or dilute. Follow with at least 5 cups (8oz each) of clear liquids. Continue drinking clear liquids for the rest of the evening 	Stay close to restroom. You may use baby wipes or A&D ointment to alleviate discomfort from your prep results.



COLONOSCOPY PREP – Clenpiq

TIMELINE	What YOU Need to Do	Comments
DAY OF PROCEDURE: FIVE hours prior before check-in time (For example, if you are to check- in at 7:15am, you will need to get up at 2:15am and drink the second bottle of Clenpig.)	 You may take your medications as instructed (especially heart and blood pressure) up to 4 hours prior to checking in for your procedure. Follow steps 1-3 above using the 2nd bottle of Clenpiq Follow specific directions given by your physician regarding insulin, oral diabetic pills, and blood thinners. After that, stop all fluids. Nothing by mouth, including gum, mints, and candy starting 4 hours prior to your procedure until after your procedure is complete. 	DO NOT take any medications after completing your 2 nd dose of prep. Your bowel movements will turn watery and -toward the end of the prep-will appear yellow or clear. If the bowel movement is NOT YELLOW OR CLEAR, notify the pre-op nurse when you arrive at the facility.
Appointment time	 Arrive at your appointment check-in time with your responsible adult driver (see page 1). 	For your safety, your procedure will be cancelled if you do not have a ride home arranged.

Endoscopy Facilities

Harmony Surgery Center

2127 E Harmony Road Suite 200 Fort Collins, CO 80528

Phone: (970) 297-6300

Poudre Valley Hospital

1024 S Lemay Ave Fort Collins, CO 80524 Phone: (970) 495-7000

McKee Medical Center

2000 N Boise Ave Loveland, CO 80538 Phone: (970) 820-4640

Greeley Endoscopy Center

8227 W. 20th Street Greeley, CO 80634 Phone: (970) 573-7555

Medical Center of the Rockies

2500 Rocky Mountain Ave Loveland, CO 80538 Phone: (970) 624-2500

Estes Park Medical Center

555 Prospect Ave Estes Park, CO 80517 Phone: (970) 586-2317

Skyline Endoscopy Center

2555 E 13th Street Suite 210 Loveland, CO 80537 Phone: (970) 663-2159

Greeley Hospital

6767 W 29th Street Greeley, CO 80634 Phone: (970) 652-2000